

L Number	Hits	Search Text	DB	Time stamp
1	11069	layers same threshold	USPAT; US-PPGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/12 07:42
6	1776	video same layer same (bandwidth or transmission)	USPAT; US-PPGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/12 09:08
7	37	video near layer with (bandwidth or transmission)	USPAT; US-PPGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/12 09:30
8	5570	bandwidth same threshold	USPAT; US-PPGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/12 09:42
9	18593	video same layer	USPAT; US-PPGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/12 09:42
10	363	(video same layer) same enhancement	USPAT; US-PPGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/12 09:42
12	150	((video same layer) same enhancement) same (transmission or bandwidth)	USPAT; US-PPGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/12 09:42
13	15131	(bandwidth or transmission) with threshold	USPAT; US-PPGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/12 09:42
14	30435	(bandwidth or transmi\$7) with threshold\$4	USPAT; US-PPGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/12 09:42
15	894	((bandwidth or transmi\$7) with threshold\$4) same layer	USPAT; US-PPGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/12 09:43
21	1391	enhancement near layer	USPAT; US-PPGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/12 09:43
22	226	(enhancement near layer) same (bandwidth or transmission)	USPAT; US-PPGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/12 09:43
28	0	6480547.URPN.	USPAT	2003/09/12 09:43
32	136	video same DCT same threshold	USPAT; US-PPGPUB	2003/09/12 09:43
36	70	(enhancement near layer) with DCT	USPAT; US-PPGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/12 09:43

38	2	(enhancement near layer) with DCT same threshold\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/12 09:43
41	37	(enhancement near layer) same threshold\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/12 09:43
43	69	(enhancement near (layer or data)) same threshold	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/12 09:43
45	0	threshold near based near layering near process	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/12 09:43
46	448129	threshold	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/12 09:43
49	211	(threshold near2 layer\$4) and video	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/12 09:43
16	33	layer with video with enhancement with bandwidth	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/12 09:43
17	1	layer with video with enhancement with bandwidth same threshold	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/12 09:43
18	4	(bandwidth same threshold) same (enhancement with layer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/12 09:43
19	7	((video same layer) same enhancement) same (transmission or bandwidth) same (threshold\$4 or constrain\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/12 09:43
20	17	((bandwidth or transmi\$7) with threshold\$4) same layer) same video	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/12 09:43
23	11	((enhancement near layer) same (bandwidth or transmission)) same threshold	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/12 09:43
26	1	6275531.URPN.	USPAT	2003/09/12 09:44
27	7	("5457496"   "5457497"   "5497246"   "5590127"   "5612735"   "5729532"   "5903679").PN.	USPAT	2003/09/12 09:44
29	5	("5301018"   "5349383"   "5353061"   "6256346"   "6275531").PN.	USPAT	2003/09/12 09:44

34	29	video same DCT same threshold same (transmi\$7 or bandwidth)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/12 09:44
35	39	(bit near plane) with (enhancement near layer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/12 09:44
37	2	(enhancement near layer) with DCT with threshold\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/12 09:44
39	10	(enhancement near layer) with DCT same bandwidth	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/12 09:44
40	24	(enhancement near layer) with threshold\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/12 09:44
42	13	((enhancement near layer) same threshold\$4) not ((enhancement near layer) with threshold\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/12 09:44
44	36	((enhancement near (layer or data)) same threshold) not ((enhancement near layer) same threshold\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/12 09:44
47	3	threshold near2 layer\$4 near process	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/12 09:44
48	2361	threshold near2 layer\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/12 09:44
50	4	(threshold near2 layer\$4) and video and DCT	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/12 09:44
51	125	(threshold near2 layer\$4) and video and (bandwidth or transmission)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/12 09:44

Find: [Documents](#)[Citations](#)

Searching for **enhancement and layers and threshold and bandwidth**.

Restrict to: [Header](#) [Title](#) Order by: [Citations](#) [Hubs](#) [Usage](#) [Date](#) Try: [Amazon](#) [B&N](#) [Google \(RI\)](#) [Google \(Web\)](#) [CSB](#) [DBLP](#)

23 documents found. Order: **citations weighted by year**.

[Optimal Streaming of Layered Video - Saparilla, Ross \(1999\) \(Correct\) \(11 citations\)](#)

the video has been encoded into a base and an **enhancement layer**, and that to decode the **enhancement** Optimal Streaming of Layered Video Despina Saparilla Keith W. Ross Dept. of [www.eurecom.fr/~saparill/infocom00.ps](http://www.eurecom.fr/~saparill/infocom00.ps)

**One or more of the query terms is very common - only partial results have been returned. Try [Google \(RI\)](#).**

[Issues With Multicast Video Distribution in Heterogeneous.. - Turletti, Bolot \(1994\) \(Correct\) \(31 citations\)](#) a meaningful service. The other flow includes **enhancement** information. The idea then is to transmit both include video gateways, and using some form of **layered coding**. Video gateways or **layered coding** the quantizer value and the movement detection **threshold**. Adjusting these parameters makes it possible <ftp-sop.inria.fr/rodeo/ivs/papers/PV94.ps.gz>

[Issues with multicast video distribution in heterogeneous.. - Turletti, Bolot \(1994\) \(Correct\) \(31 citations\)](#) a meaningful service. The other flow includes **enhancement** information. The idea then is to transmit both include video gateways, and using some form of **layered coding**. Video gateways or **layered coding** the quantizer value and the movement detection **threshold**. Adjusting these parameters makes it possible [ftp-sop.inria.fr/rodeo/bolot/94.Multicast\\_feedback.ps.gz](ftp-sop.inria.fr/rodeo/bolot/94.Multicast_feedback.ps.gz)

[Motion Prediction Based on Temporal Layering for Layered Video.. - Lee \(1998\) \(Correct\) \(6 citations\)](#) video coding algorithms [4]5]When some **enhancement layers** are dropped due to, for example, 1, JULY 1998. 1 Motion Prediction Based on Temporal Layering for Layered Video Coding Jae-Yong Lee, from the previous one more than a certain **threshold**) has been used [6] even though we can no more [dali.korea.ac.kr/research/LVideo/lvideo\\_itc98.ps.gz](dali.korea.ac.kr/research/LVideo/lvideo_itc98.ps.gz)

[Providing Rate Guarantees For Internet Application .. - Andrikopoulos.. \(1999\) \(Correct\) \(2 citations\)](#) not provide any QoS guarantees. GFR is a major **enhancement** to UBR and has been elected as a new ATM mechanisms. These may be performed by higher layers (e.g. the TCP layer) at the end systems. The ATM achieved. The EPD mechanism uses a static **threshold** R that is less than the buffer size. When mild <www.ee.surrey.ac.uk/Personal/G.Pavlou/Publications/Journal-papers/Andrik-99a.pdf>

[A Smart Vision System-On-A-Chip Design Based On Programmable .. - Wai-Chi Fang Det \(Correct\)](#) orders-of-magnitude computing performance **enhancements** for on-board real-time vision tasks. 4.1. for cellular neural networks. B) Multiple **Layers** with Embedded Maximum Evolution Functions: In the includes the information for synapse weights, **threshold** values, and boundary conditions. The OCNN <techreports.jpl.nasa.gov/2000/00-1013.pdf>

[A Rate Control Method For H.263 Temporal Scalability - Ishtiaq, Katsaggelos \(1999\) \(Correct\)](#) dropped frames in the form of a scalable **enhancementlayer** to increase the overall encoded frame rate. The proposed methodology extends the base **layer** rate control to the **enhancement layer** and i, as a B frame is made if  $F \#i \#$  exceeds a given **threshold** value, FTH ,that is if  $F \#i \# FTH$  Encode <ivpl.ece.nwu.edu/Publications/Conferences/1999/icip99g.pdf>

[Early Selective Packet Discard for Alternating Resource Access .. - Cheon, Panwar \(Correct\)](#) so that it gets effective throughput **enhancement** over RCD, and EPD provides further **enhancement** src refers to the source node whose application **layer** corresponds to a TCP packet source and dest scheme#6#A variation of EPD with multiple **thresholds** designed to improve performance is discussed <catt.poly.edu/CATT/lcn97Cheon.pdf>

[Improving Layered Video Multicast using Active Networks - Gonçalves, de.. \(Correct\)](#) and state within the network to yield **enhancements** to layered video distribution. The result is



Find: hong jiang

Documents

Citations

Searching for PHRASE hong jiang.

Restrict to: Header Title Order by: Citations Hubs Usage Date Try: Amazon B&N Google (RI)  
Google (Web) CSB DBLP

59 documents found. Order: citations weighted by year.

[A New Shot Boundary Detection Algorithm - Zhang, Qi, Zhang \(2001\) \(Correct\) \(2 citations\)](#)

Boundary Detection Algorithm Dong Zhang, Wei Qi, Hong Jiang Zhang Microsoft Research, China

Boundary Detection Algorithm Dong Zhang, Wei Qi, Hong Jiang Zhang

[www.microsoft.com/china/research/group/mcomputing/PCMShot-4th.pdf](http://www.microsoft.com/china/research/group/mcomputing/PCMShot-4th.pdf)[Clustering User Queries of a Search Engine - Wen, Nie, Zhang \(2001\) \(Correct\) \(1 citation\)](#)

(Quebec)H3C 3J7 Canada nie@IRO.UMontreal.CA Hong-Jiang Zhang Microsoft Research, China 5F, Beijing

[54] Ji-Rong Wen, Jian-Yun Nie, and Hong-Jiang Zhang. Clustering user queries of a search

[www.WWW10.org/cdrom/papers/pdf/p368.pdf](http://www.WWW10.org/cdrom/papers/pdf/p368.pdf)[On Clustering and Retrieval of Video Shots - Chong-Wah Ngo Department \(2001\) \(Correct\) \(1 citation\)](#)

Water Bay, Kowloon, Hong Kong tcpong@cs.ust.hk Hong-Jiang Zhang Microsoft Research China 5/F, Beijing

[2] Chong-Wah Ngo, Ting-Chuen Pong, and Hong-Jiang Zhang, On clustering and retrieval of video

[www.microsoft.com/china/research/group/mcomputing/ACMMM01-ngo-4th.pdf](http://www.microsoft.com/china/research/group/mcomputing/ACMMM01-ngo-4th.pdf)[Distance-From-Boundary As A Metric For Texture Image Retrieval - Guodong Guo Hong-Jiang \(2001\) \(Correct\)](#)

(1 citation)

Metric For Texture Image Retrieval Guodong Guo, Hong-Jiang Zhang, And Stan Z. Li Microsoft Research

[5] Guodong Guo, Hong-Jiang Zhang, and Stan Z. Li, DistanceFrom -Boundary

[research.microsoft.com/~szli/papers/DFB-ICASSP.pdf](http://research.microsoft.com/~szli/papers/DFB-ICASSP.pdf)[WhatNext: A Prediction System for Web Requests using N-gram .. - Su, Yang, Lu, Zhang \(2000\) \(Correct\)](#)

(1 citation)

Sequence Models Zhong Su 1 Qiang Yang, Ye Lu \*Hong-Jiang Zhang The State Key Laboratory Of Intelligent

Sequence Models Zhong Su, Qiang Yang, Ye Lu, Hong-Jiang Zhang

[www.cs.sfu.ca/research/groups/ISA/pubs/..../pubs/wise2000.pdf](http://www.cs.sfu.ca/research/groups/ISA/pubs/..../pubs/wise2000.pdf)[Towards A Next-Generation Search Engine - Yang, Wang, Wen, Zhang, Lu, Lee, .. \(2000\) \(Correct\) \(1 citation\)](#)

Ji-Rong Wen, Gao Zhang, Ye Lu 1 Kai-Fu Lee, Hong-Jiang Zhang Microsoft Research China 5F, Beijing

Wang, Ji-Rong Wen, Gao Zhang, Ye Lu, Kai-Fu Lee, Hong-Jiang Zhang

[www.cs.sfu.ca/~isa/pubs/..../pubs/brilliantse.ps](http://www.cs.sfu.ca/~isa/pubs/..../pubs/brilliantse.ps)[Improved Read Performance in a Cost-Effective.. - Zhu, Jiang, Qin.. \(2003\) \(Correct\)](#)

Virtual File System (CEFT-PVFS) Yifeng Zhu\*Hong Jiang\*Xiao Qin\*Dan Feng?David R. Swanson\*

1988, pp. 109-116, ACM Press. 7] Yifeng Zhu, Hong Jiang, Xiao Qin, Dan Feng, and David R. Swanson,

[www.cse.unl.edu/~xqin/papers/ccgrid03.pdf](http://www.cse.unl.edu/~xqin/papers/ccgrid03.pdf)[Data Grid: Supporting Data-Intensive applications - In Wide-Area Networks \(Correct\)](#)

applications in Wide-Area Networks Xiao Qin and Hong Jiang Department of Computer Science and

[www.cse.unl.edu/~xqin/papers/tr03-05-01.ps](http://www.cse.unl.edu/~xqin/papers/tr03-05-01.ps)[Dynamic Load balancing for I/O- and MemoryIntensive - Workload In Clusters \(Correct\)](#)

using a Feedback Control Mechanism Xiao Qin, Hong Jiang, Yifeng Zhu, David R. Swanson Department of

[www.cse.unl.edu/~xqin/papers/europar03.ps](http://www.cse.unl.edu/~xqin/papers/europar03.ps)[Learning in Region-Based Image Retrieval - Jing, Li, Zhang, Zhang, Zhang \(2003\) \(Correct\)](#)

Jing 1 Mingjing Li 2 Lei Zhang 2 Hong-Jiang Zhang 2 Bo Zhang 3 1 State Key Lab of

Retrieval Feng Jing, Mingjing Li, Lei Zhang, Hong-jiang Zhang, Bo Zhang

[scenery.nease.net/professional/papers/civr03.pdf](http://scenery.nease.net/professional/papers/civr03.pdf)[Unsupervised Image Segmentation Using Local Homogeneity.. - Jing, Li, Zhang, Zhang \(2003\) \(Correct\)](#)

ANALYSIS Feng Jing 1 Mingjing Li 2 Hong-Jiang Zhang 2 Bo Zhang 1 1 State Key Lab of